

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 13-48-11977  
 Name of Facility: Rockway Elementary/ Loc.#4721  
 Address: 2790 SW 93 Court  
 City, Zip: Miami 33165  
  
 Type: School (more than 9 months)  
 Owner: M-DCSB Food and Nutrition  
 Person In Charge: Maybet Falcon Phone: (305)221-0412  
 PIC Email: snthompson@dadeschools.net

**Inspection Information**

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 11:50 AM
Inspection Date: 2/14/2023	Number of Repeat Violations (1-57 R): 0	End Time: 12:30 PM
Correct By: Next Inspection	Facility Grade: N/A	
<b>Re-Inspection Date: None</b>	Stop Sale: No	

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NO</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>NO</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>OUT</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

<p>Violation #47. Food &amp; non-food contact surfaces Remove out-of-order Panasonic microwave, PC#0819061. Per PIC, unit was deemed beyond repair and was replaced. CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #53. Toilet facilities: supplied, &amp; cleaned Seal hole on wall behind toilet inside employee restroom. CODE REFERENCE: 64E-11.003(5). Toilet facilities shall meet applicable plumbing code, be kept clean, provided with toilet paper and covered waste receptacle, and utilize self-closing doors.</p>
<p>Violation #56. Ventilation &amp; lighting Eliminate dust accumulation on return vents above serving line. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Hot water at: handwashing sink 110F, wash sink 132F, employee restroom sink 110F.  
Sanitizer concentration: 200ppm.  
Refrigerator temperature 40F. No freezer

Food temperature:  
milk/milk box 40F  
Hot holding inside warmer at 160F: mini cheeseburger sandwich  
Hot serving line: mini cheeseburger sandwich 155F, mozzarella stick 153F

Note:  
The mop/utility sink closest to the kitchen is located inside a janitor s closet which does not have hot water connection. The school does have other mop/utility sinks with hot water available.  
Classic Thermapen digital thermometer used to measure food and water temperatures at the time of this inspection.

This kitchen is a satellite of Rockway Middle.

Email Address(es): snthompson@dadeschools.net;  
mfalcon3@dadeschools.net

Inspection Conducted By: Venus Fernandez (82515)  
Inspector Contact Number: Work: (305) 623-3516 ex.  
Print Client Name: Shante Thompson-Principal  
Date: 2/14/2023

Inspector Signature:

Handwritten signature of the inspector, Venus Fernandez.

Client Signature:

Handwritten signature of the client, Shante Thompson.